

Mechanical Valve

Type: 2/2
Joint Size: 1/8"
Pressure: 0-0.8Mpa
Temperature: -5-80 °C



M221-S1



M221-S2



M221-S3



M221-S4



M221-S5



M221-S6

Mechanical Valve

Type: 2/3
Joint Size: 1/4"



MJ322-S1



MJ322-S2



MJ322-S3



MJ322-S4



MJ322-S5



MJ322-S6

Mechanical Valve

Type: 2/3
Joint Size: 1/4"



M322-S1



M322-S2



M322-S3



M322-S4



M322-S5



M322-S6



M322-S7

Mechanical Valve

Type: 2/5
Joint Size: 1/4"



M522-S1



M522-S2



M522-S3



M522-S4



M522-S5



M522-S6



M522-S7

Hand Pull Valve



Model: L321-06 L322-08
Type: 2/3
Joint Size 1/8" 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: L323-10 L324-15
Type: 2/3
Joint Size 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: L521-06 L522-08
Type: 2/5
Joint Size 1/8" 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: L523-10 L524-15
Type: 2/5
Joint Size 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: L522-08L
Type: 2/5
Joint Size: 1/4"
Pressure: 0-150PSI
Temperature: -50~80°C

Hand Push Valve



Model: H321-06 H322-08
H323-10 H324-15
Type: 2/3
Joint Size 1/8" 1/4" 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: H521-06 H522-08
H523-10 H524-15
Type: 2/5
Joint Size 1/8" 1/4" 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: H521-06S H522-08S
H523-10S H524-15S
Type: 2/5 Spring return
Joint Size 1/8" 1/4" 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: H531-06S H532-08S
H533-10S H534-15S
Type: 3/5 Centre close Spring return
Joint Size 1/8" 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: H531-06C H532-08C
H533-10C H534-15C
Type: 3/5 Centre close Hand Push Valve
Joint Size 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

H5231E2-10



N523-10



HN5231E2-10



Foot Valve



Model	H5231E2-10	N523-10	HN5231E2-10
Type		2/5	
Joint Size		3/8"	
Pressure		0-150PSI	
Temperature		-25-120°C	

Model: F322-08
Type: 2/3 Foot Valve
Joint Size 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C



Model: F422-08
Type: 2/4 Foot Valve
Joint Size 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: F322-08 F522-08
Type: 2/3 2/5 Foot Valve
Joint Size 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: F522L-08
Type: 2/5 with lock Foot Valve
Joint Size 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: F522CL-08
Type: 2/5 with lock with cover Foot Valve
Joint Size 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Model: F522C-08
Type: 2/5 with cover Foot Valve
Joint Size 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80°C

Hand Switching Valve



Model: M432-08
Type: 3/4
Joint Size: 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80 C



Model: U432-08
Type: 3/4
Joint Size: 1/4"
Pressure: 0-0.8Mpa
Temperature: -5~80 C



Model: R432-08 R432-10 R432-15
Type: 3/4
Joint Size: 1/4" 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80 C



Model: MR432-08 MR432-10 MR432-15
Type: 3/4
Joint Size: 1/4" 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80 C

Flow Control valve



Model: RE-01 RE-02
RE-03 RE-04
Joint Size: 1/8" 1/4" 3/8" 1/2"
Pressure: 0-0.8Mpa
Temperature: -5~80 C



Model: BRE-01 BRE-02
BRE-03 BRE-04
Joint Size: 1/8" 1/4" 3/8" 1/2"
Pressure: 0.15 ~ 1.0Mpa
Temperature: -5~60 C



Model: EQX30323
Type: 2/3 Quick Exhausting Solenoid Valve
Joint Size: IN=1/4"
Out=8mm Tube
Exhaust=6mm Tube
Voltage: DC8V

Shuttle Valve



Model: ES-6 ES-8 ES-10
ES-15 ES-20 ES-25
Joint Size: G1/8 G1/4 G3/8
G1/2 G3/4 G1
Pressure: 0.15 ~ 1.0Mpa
Temperature: -5~60 C

Quick Exhausting Valve



Model: KKP-8 KKP-10 KKP-15
Joint Size: G1/4 G3/8 G1/2
Pressure: 0.15 ~ 1.0Mpa
Temperature: -5~60 C

One Way Valve



Model: EA-6 EA-8 EA-10
EA-15 EA-20 EA-25
Joint Size: G1/8 G1/4 G3/8
G1/2 G3/4 G1
Pressure: 0.15 ~ 1.0Mpa
Temperature: -5~60 C

Slide Valve



Model	YHS-06	YHS-08	YHS-10	YHS-15	YHS-20	YHS-25
Working Medium	Air					
CV	1.28	2.2	3.5	7.8	13.8	21.78
Joint Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"
Working Pressure	0~10 Bar					
Max. Pressure Resistance	15 Bar					
Temperature	-5~60 C					

G Series Mini-Solenoid Valve



Model: GM22-0.8L
Type: Normal Close
Joint Size: 1/8"
Orifice: 0.8mm
Pressure: 0.15-0.8 Mpa
Temperature: -5~80 C
Material: Stainless Steel
Seal Material: PTFE



Model: GM22-1.2L
Type: Normal Close
Joint Size: 1/8"
Orifice: 1.2mm
Pressure: 0.15-0.8 Mpa
Temperature: -5~80 C
Material: Brass
Seal Material: NBR VITON



Model: QXD-2L(3L, 4L, 5L)
Type: Normal Close Normal Open
Joint Size: 1/8" 1/4"
Orifice: 2mm 3mm 4mm 5mm
Pressure: 0.15-0.8 Mpa
Temperature: -5~80 C
Material: Stainless Steel/Aluminum/Brass
Seal Material: NBR EPDM VITON



Model: ES22-2L ES22-3L
Type: Normal Close
Joint Size: 1/4"
Orifice: 2mm 3mm
Pressure: 0.15-0.8 Mpa
Temperature: -5~80 C
Material: Stainless Steel
Seal Material: PTFE VITON



Model: GL23-06-2L(3L)
Type: Normal Close
Joint Size: 1/8" 1/4"
Orifice: 2mm 3mm
Pressure: 0-0.8Mpa
Temperature: -5~80 C
Material: Brass/Stainless Steel
Seal Material: NBR EPDM VITON